



Tailor-made marine LED strips


Double the comfort on board like the ocean breeze.




Waterproof led strip lights for marines and vessels

Flexglo™ F23, thanks to its low profile and flexibility, is a perfect fit for the sleek and compact design of luminaries in the marine application. Whether you're looking for gunnel lights, boat deck lights to brighten the exterior layout, or accent lights to spruce up the inside curved elements, to name a few, like the corridor, engine room, and cabins, you can expect extraordinary results about the marine lighting design.

In addition to the visual comfort, this marine LED strip with homogeneous illumination enables additional spatial effects and a luxurious atmosphere for any place to be installed. Set out for the ocean adventure and have more fun with it now.



Features



★ Salt Water Resistant

Proven by stringent salt spray tests, the silicone encapsulated cruise light and anodized aluminum profiles can handle exposure to salt water. Also, both have survived the test of time in actual marine lighting projects.

★ Homogeneous Illumination

None of the obtrusive light or breaks can be detected throughout the illuminated area as this IP67-rated neon flex offers homogeneous light distribution. No matter where you go, you will bask in the natural artificial lighting.





★ Made to Order

Available in made-to-order lengths and colors to offer a highly engaging personalized experience for each recreational boat or superyacht.

★ Easy to install

Its slim size and two kinds of bending directions allows it to fit neatly into almost any corner, whether hidden under the gunnel or recessed in the stairs. The limitation on installation is much less than other types of luminaires.



Light

Article No.	SFR-F23B-VB	SFR-F23B-VB	SFR-F23B-HB	SFR-F23B-HB
Light Color				
Voltage & Circuit Type	24CV	24CV	24CV	24CV
Power/m	4.5W	9W	4.5W	9W
Lumen/m (3000K)	220lm	440lm	220lm	440lm
Min. Cutting Length(mm)	83.3	83.3	83.3	83.3
Max. Running Length(m)	15	7.5	15	7.5

Connector



Mounting Profile

Name	Aluminum Profile	Flange Aluminum Profile	Serrated Aluminum Profile	Flange Serrated Aluminum Profile	Bendable Serrated Aluminum Profile
Picture					
Item Code	A/PL	FA/PL	SA/PL	FSA/PL	BSA/PL
Length (mm)	35, 500, 1000, 2000	35, 500, 1000, 2000	20, 500, 1000, 2000	20, 500, 1000, 2000	500, 1000
Applicable to					


Application




Side Deck




Stairway



Resting Area



Bar Counter



Restaurant



Playroom